


4 Post Rack Solution

A simple mounting frame solution to house IT equipment and provide maximum cabling access and capacity.

EFS offer a range of open frames that are ideally suited to telecommunications rooms for copper/fibre patching. The open access design allows for ease of installation and provides a secure connectivity solution for CAT 6A & CAT 7 Cabling.

Features

-  Bolt together construction
-  4 x vertical 19" supports
-  Pre-drilled floor mounting base
-  Supplied in a simple kit for easy installation



Options

Height	42U, 45U, 47U, 52U
Cable Management	Hinged covered cable managers supplied separately. See following page for details.
Finish	Black (Grey or other finishes on request)

4 Post Vertical Cable Managers

EFS open rack vertical cable managers are available in a range of unit heights and in two standard widths. The managers are designed to bolt to the sides of the 2 post rack frames and can be configured either in single or double configurations. The managers are supplied with dual hinged split covers for ease of operation and improved cable management.



4 Post Frame




Height	Finish	Part Code
42U	Black	EFS-4PRFK42-810B
45U	Black	EFS-4PRFK45-810B
47U	Black	EFS-4PRFK47-810B
52U	Black	EFS-4PRFK52-810B



2/4 Post Vertical Cable Manager Kit

Height	Width	Finish	Part Code
42U	140mm	Black	EFS-2PR42U140WB
	280mm		EFS-2PR42U280WB
45U	140mm	Black	EFS-2PR45U140WB
	280mm		EFS-2PR45U280WB
47U	140mm	Black	EFS-2PR47U140WB
	280mm		EFS-2PR47U280WB
52U	140mm	Black	EFS-2PR52U140WB
	280mm		EFS-2PR52U280WB





HEIGHT	HEIGHT - A (mm)
42U	2013 mm
45U	2156 mm
47U	2251 mm
52U	2444 mm